



# EnviroWirx™

## PLASTIC WASTE & RECYCLING CONTAINERS



**Lighter, quieter and low maintenance commercial waste containers.**

The perfect solution to rusty, corroded and noisy traditional metal dumpsters.

**EnviroWirx™**

1027 Industrial Place, St. Clements, ON, N0B 2M0

info@rtscompaniesinc.com | www.enviowirx.com | t. 519.699.0022 | 800.663.2803 | f. 519.699.0027



**WRP Containers offers a full suite of leading edge Rotationally Molded Refuse solutions for all demanding haulers. From innovative Commercial Front, Rear and Side Load Containers to Round Residential Cans and Litter Receptacles. Get more maintenance free life out of your container.**

- Supreme plastic quality and design with steel reinforcements highlight the Hybrid nature of our dumpsters. This results in die-hard product life.
- Low maintenance, 30% lighter than metal, no painting, no weld repairs and dent resistant. Graffiti can be wiped off with lacquer thinner.
- Body will not corrode. Ideal for food waste programs and humid climates. Smooth interior will not hold waste or odors.
- Quiet - substantially quieter than comparable steel containers making them great for noise sensitive areas.
- Molded with thicker plastic in key structural areas and powder - coated steel reinforcement in high stress sections.



## EnviroWirx

1027 Industrial Place, St. Clements, ON, N0B 2M0

info@rtscompaniesinc.com | www.enviowirx.com | t. 519.699.0022 | 800.663.2803 | f. 519.699.0027

# HYBRID FRONT LOAD: 2YD-8YD

## ► Features

Universal Lid Bar Design accommodates industry standard lids and keeps lids straight

Powder coated steel resists rust

Lid opens 270° against back of container

Ribbed sides and bottom designed for added strength

Pockets are mounted to molded undercuts and wall, distributing the load across container



Available with or without casters. Quick release pad design makes changing in the field easy


UV resistant for long term exposure to sun light



Our lip design replicates a metal tubing lip, creating a ridged dumpster



Channel hinge design reinforces container, keeps lids straight and allows lids to hang freely



1" drain standard for easy cleaning and draining



Steel caster plates running the depth of the body prevent puncturing and provide added strength



Hybrids are easier to move for drivers, lessening injuries in enclosures



Compatible with fully automated front load collection systems



1/4" solid front plate wraps around all front loads for added protection during fork entry



Containers are nestable allowing for high shipping densities



# HYBRID FRONT LOAD: 2, 3, 4 CUBIC YARD




2 YARD FL



3 YARD FL



4 YARD FL



Measurements reflect dimensions of fully assembled dumpsters with casters

## ► Container Specifications

MODEL	WIDTH	DEPTH	HEIGHT	LOAD RATING
2 YARD FL	80"	41"	55"	1000 LBS.
3 YARD FL	80"	49"	64"	1500 LBS.
4 YARD FL	80"	59"	70"	2500 LBS.

Container specifications vary slightly based on product mold.

## ► Shipping Information

MODEL	ASSEMBLY WEIGHT	STACK HEIGHT	T/L QTY (53' TRUCK)	T/L QTY (53' FLATBED)
2 YARD FL	270 LBS.	3 OR 4* HIGH	45	60*
3 YARD FL	365 LBS.	3 HIGH	45	45
4 YARD FL	445 LBS.	2 OR 3 HIGH	20	30*

\*Casters on bottom dumpster removed to achieve a stack 4 high.

Our Hybrids can maximize freight efficiencies. For example 20 4yds and 10 2yds fit together in one truck.

EnviroWix™

1027 Industrial Place, St. Clements, ON, N0B 2M0  
info@rtscompaniesinc.com | www.enviowirx.com | t. 519.699.0022 | 800.663.2803 | f. 519.699.0027

# HYBRID FRONT LOAD: 6 & 8 CUBIC YARD



6 YARD FL FLAT TOP







6 YARD FL SLANT TOP



8 YARD FL FLAT TOP



8 YARD FL SLANT TOP



6 & 8 yds have steel supports on the side and bottom for added strength when lifting heavy loads like organic waste

## ► Container Specifications

MODEL	WIDTH	DEPTH	HEIGHT	LOAD RATING
6 YARD FL FLAT TOP	80"	78"	64"	3500 LBS.
6 YARD FL SLANT TOP	80"	78"	64"	3500 LBS.
8 YARD FL FLAT TOP	80"	78"	82"	5000 LBS
8 YARD FL SLANT TOP	80"	78"	82"	5000 LBS

Container specifications vary slightly based on product mold.

## ► Shipping Information

MODEL	ASSEMBLY WEIGHT	STACK HEIGHT	T/L QTY (53' TRUCK)	T/L QTY (53' FLATBED)
6 YARD FL FLAT TOP	580 LBS.	2 HIGH	16	16
6 YARD FL SLANT TOP	580 LBS.	2 HIGH	16	16
8 YARD FL FLAT TOP	640 LBS.	1 HIGH	8	8
8 YARD FL SLANT TOP	640 LBS.	2 HIGH	14	14

EnviroWirx™

1027 Industrial Place, St. Clements, ON, N0B 2M0  
 info@rtscompaniesinc.com | www.enviowirx.com | t. 519.699.0022 | 800.663.2803 | f. 519.699.0027

# HYBRID REAR LOAD: 2 CUBIC YARD

## ► Features

Universal lid bar allows for industry standard lids

Steel lid bar keeps lids straight

2 YARD RL




Powder coated steel reinforcements

Reinforced kick plates and cable assembly underneath for added life and strength

Quick release caster pad design for efficient change out



Trunnion Bar fits perfectly into molded lip. It's bolted on and further reinforced with steel corner and side lip handles



Cable guide prevents cable from bending lid rod



Steel reinforcements highlight the Hybrid nature of our dumpsters. This results in a dumpster built for the rigors of hauling



Designed for strength while maximizing shipping. Ship 4 on a pallet or up to 80 with casters on a 53ft van truck

## ► Container Specifications

MODEL	WIDTH	DEPTH	HEIGHT	LOAD RATING
2 YARD RL	78"	44"	51"	1000 LBS.

Container specifications vary slightly based on product mold.

## ► Shipping Information

MODEL	ASSEMBLY WEIGHT	STACK HEIGHT	T/L QTY (53' TRUCK)	LTL STACKING AND LTL MAX. QTY
2 YARD RL	300 LBS.	4-5 HIGH	80	4 PER PALLET

# HYBRID SIDE LOAD & COMPACTOR: 2 CUBIC YARD



**2 YARD SIDE LOAD**

- Ribbed for added strength
- Lower Total Cost of Ownership than steel
- Pictured with optional bottom pockets and locking chain



**2 YARD COMPACTOR**

- Easy to move in push out applications
- Pockets bolted to undercut and wall, distributing load across container
- Aesthetically pleasing, won't become a rusted eye sore

## ► Container Specifications

MODEL	WIDTH	DEPTH	HEIGHT	LOAD RATING
2 YARD SIDE LOAD	51"	47.5"	51"	1000 LBS.
2 YARD COMPACTOR	63"	47.5"	51"	1000 LBS

*Container specifications vary slightly based on product mold.*

## ► Shipping Information

MODEL	ASSEMBLY WEIGHT	STACK HEIGHT	T/L QTY (53' TRUCK)	T/L QTY (53' FLATBED)
2 YARD SIDE LOAD	300 LBS.	4-5 HIGH	96*	107*
2 YARD COMPACTOR	300 LBS.	4-5 HIGH	64	75*

*\*some assembly required to maximize shipping.*

**EnviroWírx™**

1027 Industrial Place, St. Clements, ON, N0B 2M0  
info@rtscompaniesinc.com | www.enviowirx.com | t. 519.699.0022 | 800.663.2803 | f. 519.699.0027

# HYBRID OPTIONS

## ► Available Colors

Hybrid Dumpsters available in 9 standard colors. Lids are black and complement all container colors.




*Colors as shown in this document may differ slightly from the actual product.*



*Custom colors available upon request.*

## ► Post Mold Options

- Place company logo here with a custom in-mold plate or post mold graphic



- In-mold plate area is 9.25" w x 5.25" h

## ► Trainable & Bottom Pocket Options

- Trainable bar connects to spring-loaded hitch, securely attaching containers for smooth towing
- Universal Trainable and bottom pockets available on all 2yd, 3yd and 4yd sizes



## ► Casters, Windows & Recycling Slot

- Standard 6" rubber on steel casters available
- Heavy Duty 8" casters available for trainable applications
- Neoprene washers used to seal bolted caster plates to prevent container leaking
- 28x24" sliding windows available on 8YD Flat
- 20x18" sliding windows available on 8YD Slant
- 6x57" Recycling Slot available on all dumpsters.



## ► Lid Lock Bar and Locking Chain



- Manual lock bar fits all our front loads. Locking chain option available for our rear load, compactor and side loads



**Keep unsightly waste containers  
secure.**

**An attractive waste containment  
solution for commercial properties  
including restaurants, shopping plazas,  
apartment buildings and more!**



**Need an ideal solution for hiding unsightly garbage bins? Look no further! The Tote Locker from EnviroWirx™ is perfect for securing your bins from the elements and animals. It also works well as a secure storage cabinet, complete with locking handle.**

**Made from galvanised steel, the Tote Locker is great for commercial properties looking for a clean and attractive solution for storing waste containers.**

**Available unassembled for the do-it-yourselfer, or pre-assembled for immediate use.**

Dimensions 37.8"L x 60.71"W x 51.38"H

### Features:

- Hydraulic lid for easy opening/closing
- Vents for air flow
- Clips to hold receptacle lids for ease of use
- Locking door handle for additional security
- Fits standard recycling and organic waste receptacles
- Convenient large double door access
- Ready to assemble with pre-cut holes and materials
- Weather resistant galvanised steel



#### Unassembled

Part # 3000-00100A-79-00

Unassembled version does not come with flooring or anchoring materials.

#### Pre-Assembled

Part # 3000-00200A-79-00

Pre-assembled version includes 1/2" thick polyethylene floor base.

Contact your EnviroWirx™ representative today for more information and for installation instructions.

# WASTE CONTAINERS


EnviroWirx™

by EnviroWirx

## 7.5 Yard Version

### SAVE SPACE

- 42% of EnviroWirx is underground and out of sight
- EnviroWirx can be installed in visible areas designated as undesirable for steel bins
- EnviroWirx holds more waste in a smaller footprint than a standard steel dumpster
- EnviroWirx does not require a fenced enclosure or roof



### SAVE MONEY

EnviroWirx can be picked up by any hauler with front forks, giving you the competitive advantage to shop for a waste hauler that meets your needs and budget. You can continue with uninterrupted service using your existing carrier.

It has a payload of 3,300 lbs; holding more means fewer bins and less frequent pick ups.

EnviroWirx does not require replacement bags, liners, or parts, meaning no future expenses or unexpected costs.



### IMPROVE APPEARANCE

EnviroWirx holds waste underground where temperatures are cooler in the summer and warmer in the winter. Cooler sub-surface temperatures reduce odor emission. Warmer sub-surface temperatures mitigate freezing.



Aesthetically pleasing, EnviroWirx can be located in high visibility areas, minimizing dumping of unwanted items.

The unique concave ridge surface container is a deterrent for graffiti and spraypaint vandalism.

EnviroWirx can be installed in a few hours and used immediately. Install yourself or use our installation service.

EnviroWirx™

1027 Industrial Place, St. Clements, ON, N0B 2M0

info@rtscompaniesinc.com | www.enviowirx.com | t. 519.699.0022 | 800.663.2803 | f. 519.699.0027

## 4.5 Yard Version

### ADVANTAGES

#### Same advantages of the 7.5 yd. bin:



- Save Space
- Save Money
- Improve Appearance



*No excavation  
required!*

The 4.5 yard EnviroWirx waste container rests on a concrete ring (included), meaning you don't have to worry about digging down like with deep waste bins.

Not only does this convenience provide you the savings of excavation and installing barriers, it also allows you the option of placing your container wherever you please!



4.5YD SURFACE MOUNTED SHOWN  
WITHOUT CONCRETE RING



# EnviroWirx™



[www.envirowirx.com](http://www.envirowirx.com) | [info@rtscompaniesinc.com](mailto:info@rtscompaniesinc.com)

---

1027 Industrial Place | St. Clements | Ontario, Canada | N0B 2M0  
t. 1.800.663.2803 | f. 519.699.0027